

2023/2024 Catalogue

Tool Totes

Page 27

NVQ



Rod Bags Page 27

Chimney Brushes

Page 5

Powersweeping Page 12

> Coring Balls Page 11

0

Touchscreen Chimney Camera

Page 31

Contact



Precision designed and engineered in the UK.



Flueboss[®] by Rodstation, the powersweeping system of choice for professionals

allannan

PRECISION ENGINEERED IN THE UK Flueboss® UK Patent No. 2538585 US Patent No. 10415826 EU Patent No. 309<u>5349</u>

Flueboss® Colourcoded Power Sweeping Equipment - See Page 12



Made in the UK



Rodstation have been awarded entry into the Guild of Master Craftsmen, which is another recognition of our commitment to produce our range of sweeping rods and bristle brushes to the highest standards of quality and service.



Wide range of products

We stock a comprehensive range of rods and brushes suitable for cleaning most types of flues and others.


No order is too small

If you just need an adaptor or a brush please contact us.

Fully equipped workshop

If you require a bespoke fitting or brush give us a call.





Contents Page 4 **Flexible Chimney Sweeping Rods & Kits** 5 **Traditional Chimney Sweeping Kits** 6/7 Soft to Extra Hard Bristle Brushes 8 **Rigid Rods & Adaptors** 9 **Chimney Clearing Tools** 10 **Wire Brushes & Flat Scaper Brushes** 11 **Flue Brushes & Coring Balls** 12-15 FlueBoss® Colourcoded Powersweeping Kits 16/17 FlueBoss® Powersweeping Heads 18/19 FlueBoss® Adaptors and Scrapers 20/21 FlueBoss® Colourcoded Powersweeping Rods 22 Powersweeping Half Rods 23 FlueBoss® Colourcoded Rods Features & Specifications 24/25 FlueBoss® Mini 26 FlueBoss® Power Brushes 27 **Rod Bags & Caddy** 28 HD Camera Kit - 8 LED 29 **Superbright HD Camera Kit** 30 **Wireless Inspection Camera Kit Ultra HD Touchscreen Camera Kit** 31 32/33 **Chimney Sweep Accessories** 34 **DustControl** 35 **Fire Safety and Maintenance Products**

RodStation rods and brushes are approved by national chimney companies including:







PENNINE SYSTEMS LTd



RodStation has a policy of continual development and improvement and reserves the right to alter production specifications, details and prices without notice. ©2019 Please Note: The prices are current at the time of printing, but due to fluctuating raw material costs prices may change without notice. All offers and supplies subject to our standard conditions of sale shown on our website www.rodstation.co.uk

Flexible Rods Designed for sweeping insulated metal chimneys and flexible flue liners

Key features

Affordable flexible rods made by us in Britain using flexible 12mm diameter rod for added strength and durability. Our superflexy 8mm nylon rods are ideal for sweeping tight 90° bends, and can also be used as a 'lead' rod with flexible 12mm rods.

High quality solid brass screw ends with ½" Whitworth screw fitting featuring chamfered edges to minimise risk of damaging flexible liners.





| Description | Product Code |
|-------------------------|--------------|
| 1m Flexible Liner Rod | FR01 |
| 1.5m Flexible Liner Rod | FR015 |
| 2m Flexible Liner Rod | FR02 |
| 1m Superflexy Rod | FRSF01 |
| 1m Rod Bag | FRB100 |
| 1.5m Rod Bag | FRB150 |

Flexible Liner Sweeping Kits



| Description | Product Code |
|------------------------------|--------------|
| 10m Rod Pack 5" Soft Brush | FSK01 |
| 10m Rod Pack 6" Soft Brush | FSK02 |
| 10m Rod Pack 7" Soft Brush | FSK03 |
| 10m Rod Pack 8" Soft Brush | FSK04 |
| 10m Rod Pack 5" Medium Brush | FSK01M |
| 10m Rod Pack 6" Medium Brush | FSK02M |
| 10m Rod Pack 7" Medium Brush | FSK03M |
| 10m Rod Pack 8" Medium Brush | FSK04M |

Each pack includes a Heavy Duty rod bag.

Traditional Sweeping Kits





Flexible chimney liner sweeping kit with assortment of Soft **Bristle Brushes**

Kit Contents

1 x Heavy Duty Rod Bag 12 x 1 metre flexible liner rods (1/2"Whitworth) 1 x 5" Soft bristle brush 1 x 6" Soft bristle brush 1 x 7" Soft bristle brush 1 x 8" Soft bristle brush



| Description | Product Code |
|--|-----------------|
| 12m Rod Kit with 5,6,7,8" brushes and heavy duty NACS Rod Bag | KNACSF01 |
| 12m Rod Kit with 5,6,7,8" brushes and heavy duty Guild Rod Bag | KGUILDF01 |
| 12m Rod Kit with 5,6,7,8" brushes and heavy duty Rod Bag with Rodstation logo only | KRODF01 |

Masonry chimney sweeping kit with assortment of Medium **Bristle brushes**

Kit Contents

1 x Heavy Duty Rod Bag 2 x 90cm (3ft)rigid liner rods (3/4" Universal) 15 x 90cm (3ft)rigid liner rods (7/8" Universal) 3 x 90cm (3ft)rigid liner rods (1" Universal) 1 x 5" Medium bristle brush 1 x 6" Medium bristle brush 1 x 7" Medium bristle brush 1 x 8" Medium bristle brush 1 x 14" Medium bristle brush



RODSTATION

| Description | Product Code |
|---|-----------------|
| 18m Rod Kit with 5,6,7,8,14" brushes and heavy duty NASC Rod Bag | KNACSR01 |
| 18m Rod Kit with 5,6,7,8,14" brushes and heavy duty Guild Rod Bag | KGUILDR01 |
| 18m Rod Kit with 5,6,7,8,14" brushes and heavy duty Rod Bag with Rodstation logo only | KRODR01 |

Bristle Brushes



Soft bristle brush - White

Soft bristle brush with protective ball end and Whitworth ¹/₂" male end screw fitting. For brushes with a universal fitting add 'U' after the product code, ie. FBS5U

| Brush Diameter nches/mm | Product Code |
|----------------------------|--------------|
| 4"/100mm | FBS4 |
| 5″/125mm | FBS5 |
| 6″/150mm | FBS6 |
| 7″/180mm | FBS7 |
| 8″/200mm | FBS8 |
| 10"/250mm | FBS10 |
| 12″/300mm | FBS12 |
| 14"/350mm | FBS14 |



Medium bristle brush - Orange

Medium bristle brush with protective ball end and Whitworth ½" male end fitting. For brushes with a universal fitting add 'U' after the product code, ie. FBM5U For brushes with a ³/₄" universal fitting (to fit drain rods), use 'U' after the code, ie. FBM6U. Universal brushes do not have the ball top fitted as standard. (Price same as FBM6)



| Diameter inches/mm | Product Code |
|-----------------------|--------------|
| 4″/100mm | FBM4 |
| 5″/125mm | FBM5 |
| 6″/150mm | FBM6 |
| 7″/180mm | FBM7 |
| 8″/200mm | FBM8 |
| 10″/250mm | FBM10 |
| 12″/300mm | FBM12 |
| 14″/350mm | FBM14 |



RodStation offers a great choice of brushes

For sweeping insulated metal chimneys and flexible liners with 1/2" Whitworth rods. For masonry chimneys the ³/₄" Universal brushes are used with rigid rods. Ball end brushes fitted to brushes with ¹/₂" Whitworth fitting only.



Hard bristle brush - Grey

Medium bristle brush with protective ball end and Whitworth ½" male end fitting. For brushes with a universal fitting add 'U' after the product code, ie. FBH5U

| Diameter inches/mm | Product Code |
|-----------------------|--------------|
| 5″/125mm | FBH5 |
| 6″/150mm | FBH6 |
| 7″/180mm | FBH7 |
| 8″/200mm | FBH8 |
| 10″/250mm | FBH10 |
| 12″/300mm | FBH12 |
| 14"/350mm | FBH14 |
| 16″/400mm | FBH16 |
| 18″/450mm | FBH18 |
| 20″/500mm | FBH20 |



Extra hard bristle brush - Black

Extra hard bristle brush with protective ball end and Whitworth ¹/₂" male end fitting. For brushes with a universal fitting add 'U' after the product code, ie. FBH5U

| Diameter inches/mm | Product Code |
|-----------------------|--------------|
| 5″/125mm | FBXH5 |
| 6″/150mm | FBXH6 |
| 7″/180mm | FBXH7 |
| 8″/200mm | FBXH8 |
| 10″/250mm | FBXH10 |
| 12″/300mm | FBXH12 |
| 14″/350mm | FBXH14 |
| 16″/400mm | FBXH16 |
| 18″/450mm | FBXH18 |
| 20″/500mm | FBXH20 |
| 22″/560mm | FBXH22 |
| 24"/610mm | FBXH24 |

Require a BESPOKE BRUSH? Give us a call to discuss your requirements.



Rigid Rods

Designed for sweeping masonry and pumice chimney liners

Affordable rigid chimney rods in diameters of $\frac{3}{4}$, 7/8" and 1" with universal $\frac{3}{4}$ " brass fittings.



| ltem | Description | Product Code |
|------|---|--------------|
| A | 3ft ¾" diameter rigid sweeping rod | RR01 |
| В | 3ft 7/8" diameter rigid sweeping rod | RR02 |
| C | 3ft 1" diameter rigid sweeping rod | RR03 |
| D | 3ft ¾" diameter rigid cane sweeping rod | CR01 |
| E | 3ft 7/8" diameter rigid cane sweeping rod | CR02 |
| F | 3ft 1" diameter rigid cane sweeping rod | CR03 |

Adaptors


We stock a great range of adaptors to convert to various imperial or metric sizes. If you require a unique adaptor please contact us to discuss your requirements.

| A | BCDEFGHIJK | L M N O P |
|------|--|--------------|
| Iter | Description | Product Code |
| A | 1/2" Whitworth female to 3/4" Female | FRA01 |
| В | 1/2" Whitworth male to 1/2" Whitworth male | FRA02 |
| C | 1/2" Whitworth female to M10 Male | FRA03 |
| D | 1/2" Whitworth male to M10 Female | FRA04 |
| E | ¾" Female to M12 Male | FRA05 |
| F | 34" Male to 1/2" Whitworth Female | FRA06 |
| G | ¾" Female to ½" Male | FRA07 |
| Н | ³ / ₄ " Female to M10 Female | FRA08 |
| I | ½" Whitworth Male to M10 Male | FRA09 |
| J | 1/2" Whitworth Male to M12 Male | FRA10 |
| K | 1/2" Whitworth Male to M12 Female | FRA11 |
| L | 1/2" Whitworth Female to M12 Male | FRA12 |
| М | 34" Female to M12 Female | FRA13 |
| N | Rodtech to 1/2" Whitworth | FRA14 |
| 0 | Snaplock to 1/2" Whitworth | FRA15 |
| Р | Universal Lockfast 1/2" Whitworth | FRA16 |

Chimney Clearing Tools (CHIMNEY CONTATION



We stock a range of tools ideal for clearing chimneys and removing birds nests





| ltem | Description | Product Code |
|------|---------------------------------------|--------------|
| F | Chisel ¾" Universal Fitting | RRC01 |
| G | Harpoon ¾" Universal Fitting | RRH |
| Н | Retrieval Tool ¾" Universal Fitting | RRT |
| I. | Single Nest Hook ¾" Universal Fitting | RRNHS |
| J | Double Nest Hook ¾" Universal Fitting | RRNHD |
| К | Double Nest Hook XL Universal Fitting | RRNHD01 |

Wire Brushes

Ideal for use in heavily tarred ceramic flue pipes, pre-cast sectional chimneys and brick chimneys

Fitted with universal 3/4" fittings



Flat Scraper Brush

For use in ceramic and brick chimneys with heavy soot and tar deposits where a scraping action is required.

Fitted with universal 3/4" fittings



| Description | Product Code |
|--------------------------------|--------------|
| Flat Scraper Brush 100mm (4") | RSB04 |
| Flat Scraper Brush 150mm (6") | RSB06 |
| Flat Scraper Brush 200mm (8") | RSB08 |
| Flat Scraper Brush 300mm (12") | RSB12 |

For the series of the series o

Flue Brush 50 x 915mm FLUE 1/2 А FLUE 4 В Flue Brush 100 x 1220mm С Flue Brush 100 x 1525mm FLUE 5 D Flue Brush 125 x 1800mm FLUE 6 Е Flue Brush 7 Piece Set 50mm Brush FLUE7 F 3 Piece Flue Brush Set FLUE8

Coring Balls Coring balls are ideal for dearing obstructions in

the chimney prior to installation of a flexible liner

Heavy Duty Rope 14m

Constructed in solid steel and zinc plated to prevent rusting. Each ball includes a 14m length of rope. Must be used with care to avoid damaging the flue or chimney.



| Description | Product Code | |
|-------------------------------------|--------------|--|
| Coring Ball 100mm (4") | CORS01 | |
| Coring Ball 125mm (5") | CORS02 | |
| Coring Ball 150mm (6") | CORSO3 | |
| 14 metres Heavy Duty Rope | RPE01 | |
| Coring Ball Set (4,5,6" & 14m Rope) | CORS123 | |

| Biomass Powe Kit Contents 1 metre 8mm Superflexi rods Drill Connector FlueBoss Nylon Extra Small FlueBoss Cable extra small Replacement Nylon (metres) Rod Bag - Heavy Duty FREE large van sticker FREE Allen Key | Qty | | Require a BESPOKE KIT? Give us a call to discuss your requirements. |
|--|---------------|--------------|---|
| D | Description | Product Code | |
| Lir | ner Power Kit | PSK11SB | |

_ _ _ Extr

| Kit Contents | Q |
|----------------------------|---|
| 1 metre 10mm Flexi rods | |
| Drill Connector | |
| FlueBoss Nylon Small | |
| Replacement Nylon (metres) | |
| Rod Bag - Heavy Duty | |
| FREE large van sticker | |
| FREE Allen Key | |
| | |

| ents | Qty | RODSTATION | - |
|---------------------|-----|--|---|
| 10mm Flexi rods | 10 | Contract of Marca a American | K |
| inector | 1 | | 3 |
| s Nylon Small | 1 | | |
| ment Nylon (metres) | 3 | <u> </u> | |
| - Heavy Duty | 1 | | |
| ge van sticker | 1 | | |
| en Key | 1 | CLEAN CHIMMETS POWERED BY COUNTY COOS & RUSING | |

| Description | Product Code | |
|--------------------|--------------|--|
| Extra Flexible Kit | PSKS01SB | |



Ceramic Liner Power Kit Kit Contents Qty 1 metre 14mm Flexi rods 10 **Drill Connector** 1 FlueBoss Nylon Large 1 Cable Loop Large 1 Replacement Nylon (metres) 3 Rod Bag - Heavy Duty 1 FREE large van sticker 1 FREE Allen Key 1 Description **Product Code** PSKC01SB

Ceramic Liner Kit

| Masonry Kit | | | |
|-----------------------|-----|-----------------------|--|
| Kit Contents | Qty | CONTINUE | |
| metre 16mm Flexi rods | 10 | Control of the second | |
| rill Connector | 1 | | |
| ueBoss Nylon Large | 1 | | |
| eBoss Nylon (m) | 3 | | |
| wer Chain Large | 1 | CLEAN CHIMNEYS | |
| d Bag - Heavy Duty | 1 | POWERED BY | |
| E large van sticker | 1 | Rep Taron Pick A | |
| REE Allen Key | 1 | | |

| Description | Product Code |
|-------------|--------------|
| Masonry Kit | PSKM02SB |




Full Power Kit



Kit Contents Qty 1 metre 12mm Flexible rods 10 1 metre 18mm Rigid rods 10 **Drill Connector** 1 FlueBoss Nylon Small 1 FlueBoss Nylon Large 1 FlueBoss Nylon Shaft 1 Replacement Nylon (metres) 3 Power Chain Large 1 Single angled scraper 1 Twin angled scraper 1 FREE Rod Bag - Heavy Duty 2 FREE large van sticker 1 FREE Allen Key 1 Flueboss Chain Shaft 1

| Description | Product Code | |
|----------------|--------------|--|
| Full Power Kit | PSK03SB | |



| Description | Product Code |
|------------------|--------------|
| Professional Kit | PSKP01SB |



| | ty 12 1 1 1 1 1 1 1 1 1 1 1 1 1 | |
|------------------------|--|--------------|
| FREE Allen Key Descrip | tion | Product Code |
| Open Fire Kit & m | anual brushes | CSSKB01 |

Open Fire Kit & manual brushes

Ceramic Liner Breaker Kit

| Kit Contents |
|--------------------------------|
| 1 metre 20mm Rigid rods S/Stee |

Small Breaker Large Breaker Power Hammer Rod Bag - Heavy Duty FREE large van sticker FREE Allen Key

Drill Connector S/Steel Button

| | - | |
|----|----|--|
| el | 10 | |
| | 1 | |
| | 1 | |
| | 1 | |
| | 1 | |
| | 1 | |
| | 1 | |
| | 1 | |

Qty



| Description | Product Code |
|---------------------------|--------------|
| Ceramic Liner Breaker Kit | PSK04SB |

FlueBoss[®] Powersweeping Heads

Key features

- FlueBoss® has a unique and easy to use mechanism to hold PowerSweeping nylon with many key advantages. (UK Patent No.2538585, US Patent No 10415826, European Patent Application No.16170220.4)
- A quick turn of the grub screw under the boss secures the nylon and protects the screw when sweeping.
- Simply push the nylon through the securing holes which saves time compared to taking discs apart or bending strands to fit in curved channels.
- The design allows the nylon to go up or down to suit different flue conditions.
- British made FlueBoss[®] is produced to high standards and features a domed head to assist easy passage in the flue with reduced risk of snagging flue liners.
- Robust copolymer flexible rods and rigid rods have colour anodised push fit ends for greater durability
- Quick "push-fit" connectors using push buttons giving time proven security and easy release (EU and US Copyright design)
- Wide range of adaptors, connectors and powerbrushes


| Description | Product | |
|--|------------|--|
| | Code | |
| FlueBoss Nylon Biomass 15cm | PSN11SB | |
| FlueBoss Nylon Small 30cm | PSN01SB | |
| FlueBoss Nylon Large 50cm | PSN02SB | |
| FlueBoss Nylon Extra Large 60cm | PSN03SB | |
| FlueBoss Nylon Shaft 30cm | PSN05SB | |
| FlueBoss XXL 30cm (12") | PSN06SB | |
| FlueBoss XXL 60cm (24") | PSN07SB | |
| Power Chain Small 30cm | PSPC01SB | |
| Power Chain Large 50cm | PSPC02SB | |
| Power Chain Shaft 30cm | PSPC03SB | |
| FlueBoss Chain XXL | PSPC04SB | |
| FlueBoss Cable Small 30cm | PSC01SB | |
| FlueBoss Cable Large 50cm | PSC02SB | |
| FlueBoss Cable Loop Small 30cm | PSPCL01SB | |
| FlueBoss Cable Loop Large 50cm | PSPCL02SB | |
| FlueBoss Abrasive Small 30cm | PSAN01SB | |
| FlueBoss Abrasive Large 50cm | PSAN02SB | |
| Replacement Power Chain per m | PSRCH01 | |
| Replacement FlueBoss Nylon per m | PSRN01 | |
| Replacement Cable per m | PSRC01 | |
| Spring Leader | PSSSL02 | |
| Power Chain Heavy Duty Stainless Steel Small 30cm | PSPCHD01SB | |
| Power Chain Heavy Duty Stainless Steel Large 50cm | PSPCHD02SB | |
| Power Cable Heavy Duty Stainless Steel Small 30cm | PSCHD01SB | |
| Power Cable Heavy Duty Stainless Steel Large 50cm | PSCHD02SB | |
| Flueboss Low Profile | PSN08SB | |



FlueBoss Nylon Head XL with additional Nylon Shaft

FlueBoss XL Nylon is designed for larger flues where there can be more crevices and a higher build up soot deposits. Head Diameter 500mm.

The shaft can be used on larger diameter chimneys (head diameter 500mm) inbetween connecting rods or additionly with other power heads.



FlueBoss XXL Nylon

FlueBoss XXL Nylon is designed for larger flues where there can be more crevices and a higher build up soot deposits and is ideal for terminal cleaning and bird nest removal. Head Diameter 30 or 60cm (12" or 24")



Replacement Nylon for use with FlueBoss head. Supplied in multiples of 1 metre.

FlueBoss Cable Head

For removing heavy deposits including bird nests and tar. Not suitable for metal chimneys or liners. Available in three sizes: Overall diameter when spinning is 300mm or 500mm. Cable can be replaced when worn. Also available in a cable 'loop'. Ideal for cleaning ceramic chimney liners.

Power Chain Head & Shaft

For removing heavy deposits including bird nests and tar. Not suitable for metal chimneys or liners. Available in two sizes. Overall diameter when spinning is 300mm or 500mm. Chain can be replaced when worn.

Power Chain Shaft can be used inbetween connecting rods or additionly with other power heads. Overall diameter when spinning is 500mm.



FlueBoss Abrasive Nylon

For use on masonry and clay liners. The abrasive grit is encapsulated in the nylon filament and is ideally used where extra abrasion is required to remove deposits (head diameter 300mm or 500mm).



Power Chain

Replacement chain for use with Power Chain head. Supplied in multiples of 1 metre.

FlueBoss Cable

Replacement cable for use with FlueBoss head. Supplied in multiples of 1 metre.



Heavy Duty Stainless Steel Heads

Power flail with 5mm stainless chain chain for removing heavy deposits, Heavy duty 6mm stainless cable. To be used with our 20mm stainless steel rods (page 20)



FlueBoss Chain XXL

For removing heavy deposits including bird nests and tar, ideal for extra abrasion on glazed creosote and preventing chain wrapping around the lead rod. 40cm (16") overall diameter when spinning. Not suitable for metal chimneys or flexible chimney liners.


FlueBoss Nylon Head

Available in four sizes. Overall diameter when spinning is 150mm, 300mm, 500mm or 600mm. Nylon can be replaced when worn.

Spring Leader Power rod spring leader, designed for negotiating around difficult bends.

FlueBoss[®] Adaptors and Scrapers

| 1 | | | | | | |
|---|---|---|------------------------------------|---|---|---|
| 1 | 6 | | 3/4 | 5 | 6 | |
| Drill | Adaptor | Van Hanger | Power Rod | Power Rod | Universal to Power | Power Rod |
| | l to connect | Suitable for securing | to Whitworth | to Universal | Rod | to M8 |
| | ble drill to ersweeping rod. | brushes and heads to the interior of a | For connecting | For connecting | For connection ³ / ₄ " | For connecting |
| | flat shank. | van or wall. | power rods to Whitworth ½" rods | power rods to standard universal | Universal rods to power rods | power rods to M8 rods and brushes. |
| | | | and brushes. | 3⁄4 ". | | |
| 8 | | 9 | 10 | | 12 | 13 |
| Powe | er Rod | Power Rod to M12 | Adaptor to Twin | Adaptor from Twin | Male Button to M8 | Male Button to M10 |
| to M | | For connecting | Button System | Button System | Adaptor from male | Adaptor from male |
| | onnecting er rods to M10 | power rods to bespoke fittings | For connecting to our twin button | For connecting to our single button | button lock to M8 thread. | button lock to M10 thread. |
| | and brushes. | (with bolt). | system | system. | | |
| 14 | 2 | 15/16 | | 17 | 18 | 19 |
| | Z | 11 | | Y | 4 | ſ |
| To as birds | ble Worm Screw ssist removing s nests or eving rods. | Nest Hooks Ideal for removing bird double nest hooks. | ds nests. Single and | Nest Claw Heavy duty twin nest hook designed to assist removing birds nests and dislodging/ breaking branches. | Branch Breaker Heavy duty twin nest hook designed to assist removing birds nests and dislodging/ breaking branches. | Rod Retrieval Tool Retrieval tool to assist in retrieving chimney rods and birds nests. |
| | | Description | | | Product Code | |
| 1 | Drill Adaptor Stainless Steel with shank | | | | FIGURE | |
| | Drill Adaptor Sta | | | | PSDA01SB | |
| 2 | Drill Adaptor Sta Van Hanger | | | | | |
| 2 | | iinless Steel with shank | | | PSDA01SB | |
| | Van Hanger | iinless Steel with shank ale Adaptor | | | PSDA01SB PSVA01SB | |
| 3 | Van Hanger Whitworth Fema | iinless Steel with shank ale Adaptor Adaptor | | | PSDA01SB PSVA01SB PSWA01SB | |
| 3 | Van Hanger Whitworth Fema Whitworth Male | ainless Steel with shank ale Adaptor Adaptor Adaptor | | | PSDA01SB PSVA01SB PSWA01SB PSWAM01SB | |
| 3 4 5 | Van Hanger Whitworth Fema Whitworth Male Universal Male A | ale Adaptor Adaptor Adaptor Adaptor | | | PSDA01SB PSVA01SB PSWA01SB PSWAM01SB PSUA01SB | |
| 3 4 5 6 | Van Hanger Whitworth Fema Whitworth Male Universal Male A Universal to Pow | ainless Steel with shank ale Adaptor Adaptor Adaptor ver Rod 8 | | | PSDA01SB PSVA01SB PSWA01SB PSWAM01SB PSUA01SB PSUA02SB | |
| 3 4 5 6 7 | Van Hanger Whitworth Fema Whitworth Male Universal Male A Universal to Pow Power Rod to Ma | ale Adaptor Adaptor Adaptor Adaptor Ver Rod 8 aptor | | | PSDA01SB PSVA01SB PSWA01SB PSWAM01SB PSUA01SB PSUA02SB PSA06SB | |
| 3 4 5 6 7 8 | Van Hanger Whitworth Fema Whitworth Male Universal Male A Universal to Pow Power Rod to Ma M10 Female Ada | ale Adaptor Adaptor Adaptor Adaptor Ver Rod 8 aptor aptor (with bolt) | | | PSDA01SB PSVA01SB PSWA01SB PSWAM01SB PSUA01SB PSUA02SB PSA06SB PSA02SB | |
| 3 4 5 6 7 8 9 | Van Hanger Whitworth Fema Whitworth Male Universal Male A Universal to Pow Power Rod to Ma M10 Female Ada M12 Female Ada | ale Adaptor Adaptor Adaptor Ver Rod 8 aptor aptor (with bolt) to Twin Button | | | PSDA01SB PSVA01SB PSWA01SB PSWAM01SB PSUA01SB PSUA02SB PSA06SB PSA02SB PSA01SB | |
| 3 4 5 6 7 8 9 10 | Van Hanger Whitworth Fema Whitworth Male Universal Male A Universal to Pow Power Rod to Ma M10 Female Ada M12 Female Ada Adaptor Single t | ale Adaptor Adaptor Adaptor Adaptor Ver Rod 8 aptor aptor (with bolt) to Twin Button a Button System | | | PSDA01SB PSVA01SB PSWA01SB PSWAM01SB PSUA01SB PSUA02SB PSA06SB PSA02SB PSA01SB PSA04SB | |
| 3 4 5 6 7 8 9 10 11 | Van Hanger Whitworth Fema Whitworth Male Universal Male A Universal to Pow Power Rod to M8 M10 Female Ada M12 Female Ada Adaptor Single t Adaptor for Twir | ale Adaptor Adaptor Adaptor Ver Rod 8 aptor aptor (with bolt) to Twin Button n Button System M8 | | | PSDA01SB PSVA01SB PSWA01SB PSWAM01SB PSUA01SB PSUA02SB PSA06SB PSA02SB PSA01SB PSA04SB PSA03SB | |
| 3 4 5 6 7 8 9 10 11 12 | Van Hanger Whitworth Fema Whitworth Male Universal Male A Universal to Pow Power Rod to Ma M10 Female Ada M12 Female Ada Adaptor Single t Adaptor for Twir Male Button to M | ale Adaptor Adaptor Adaptor Adaptor Adaptor Ver Rod 8 aptor aptor (with bolt) to Twin Button n Button System V8 M10 thread | | | PSDA01SB PSVA01SB PSWA01SB PSWAM01SB PSUA01SB PSUA02SB PSA06SB PSA02SB PSA01SB PSA04SB PSA04SB PSA03SB | |
| 3 4 5 6 7 8 9 10 11 12 13 | Van Hanger Whitworth Fema Whitworth Male Universal Male A Universal to Pow Power Rod to Ma M10 Female Ada M12 Female Ada Adaptor Single t Adaptor for Twir Male Button to M | ale Adaptor Adaptor Adaptor Adaptor Ver Rod 8 aptor aptor (with bolt) to Twin Button n Button System M8 M10 thread | | | PSDA01SB PSVA01SB PSWA01SB PSWAM01SB PSUA01SB PSUA02SB PSA06SB PSA02SB PSA01SB PSA04SB PSA04SB PSA04SB PSA03SB PSDAM8 | |
| 3 4 5 6 7 8 9 10 11 12 13 14 | Van Hanger Whitworth Fema Whitworth Male Universal Male A Universal to Pow Power Rod to Ma M10 Female Ada M12 Female Ada Adaptor Single t Adaptor for Twir Male Button to M Double Worm So | ale Adaptor Adaptor Adaptor Adaptor Adaptor Ver Rod 8 aptor aptor (with bolt) to Twin Button 6 Button System M8 M10 thread crew k | | | PSDA01SB PSVA01SB PSWA01SB PSWAM01SB PSUA01SB PSUA02SB PSA06SB PSA02SB PSA01SB PSA04SB PSA04SB PSA04SB PSA04SB PSA04SB | |



| | Description | Product Code |
|----|--|--------------|
| 18 | Branch Breaker | PSBBSB |
| 19 | Rod Retrieval Tool | PSRRTSB |
| 20 | Nest Buster | PSNBCSB |
| 21 | Rotating Handle | PSBRHSB |
| 22 | Breaker Small100 x 100mm (4" x 4") | PSB01SB |
| 23 | Breaker Large 100 x 150mm (4" x 6") | PSB02SB |
| 24 | Breaker Large Offset 100x150mm (4"x6") | PSB03SB |
| 25 | Pipe Scraper 5" (125mm) | PSPS01 |
| 26 | Pipe Scraper 6" (150mm) | PSPS02 |
| 27 | Pipe Scraper 7" (180mm) | PSPS03 |
| 28 | Single Angled Scraper120x135mm | PSS01SB |
| 29 | Twin Angled Scraper120x230mm | PSS02SB |
| 30 | Wheel Pipe Scraper 8" (200mm) | PSW8 |
| 31 | Wheel Pipe Scraper 10" (250mm) | PSW10 |
| 32 | Wheel Pipe Scraper 30" (300mm) | PSW12 |
| 33 | Power Hammer | PSPH01 |
| 34 | Chimney Clearing Chisel | PSCH01 |

Designed for effective sweeping of insulated chimneys, flexible flue liners and masonry chimneys.

Powersweeping Rods (full length 1 metre / 3'3")

Rodstation's range of colourcoded FlueBoss[®] powersweeping equipment holds several patents and design copyrights. Manufactured in the UK from high grade aluminium which is hard colour anodized to increase strength and durability and to help with rod selection for chimney type. The colourcoded rods have a unique 'push fit' connection which is quick and extremely strong. A slight twist of the rod engages the button into position with a reassuring **'click'**.



All rods can be INTER-CHANGED

Powersweeping Kits

Colourcoded for easy rod identification, different coloured rods for different flue systems. (Available as kits – page 12)

'Click'

Quick and easy "push-fit" connectors using push buttons giving time proven security and easy release.

> Design application EU No. 005323201 US No. 29671444



Powersweeping Half Rods 50cm half length version of the popular FlueBoss® Powersweeping Rods.



Powersweeping Half Rods (full length 1/2 metre / 20")

Wide range from robust "Superflexy" flexible rods to rigid rods.

| Description | Product Code |
|--------------------------------------|--------------|
| 50cm (20") Superflexible 8mm Green | PSR01SBHR |
| 50cm (20") Flexible 10mm Pink | PSR02SBHR |
| 50cm (20") Flexible 12mm Orange | PSR03SBHR |
| 50cm (20") Flexible 14mm Red | PSR04SBHR |
| 50cm (20") Flexible 16mm Grey | PSR05SBHR |
| 50cm (20") Rigid 18mm Black | PSR06SBHR |
| 50cm (20") Rigid 20mm Purple | PSR07SBHR |
| 50cm (20") Rigid Aluminium 20mm Blue | PSR08SBHR |
| 50cm (20") Rigid 20mm S/Steel | PSRS20SBHR |
| 50cm (20") Rigid 22mm S/Steel | PSRS22SBHR |

FlueBoss[®] Colourcoded Rods Features & Specifications

| Gold 9mm | |
|--------------|---|
| Applications | Flexible liner/ single/ twinwall/gas/oil |
| Features | Ideal for 5" to 8" steel flues, lightweight and excellent for restricted access |
| Diameter | 9mm (ferrule diameter 16mm) |
| Flue Range | 2" to 7" |
| Flexibility | 90% |
| Colour | GOLD |
| Weight: | 120g |
| Code | PSRM01SB |

Flexible liner/ single/ twinwall

and great on 6" flues

12mm

5" to 8"

70% ORANGE

205g

PSR03SB

Ideal for 5" to 8" steel flues, lightweight

Orange 12mm

Applications

Features

Diameter

Flue Range

Flexibility

Colour Weight:

Code

0

| | Green | |
|--|--------------|--|
| | 8mm | |
| | Applications | Biomass/gas/oil |
| | Features | Very high flexibility, restricted access or lead rod and tight bends |
| | Diameter | 8mm |
| | Flue Range | 3" to 7" |
| | Flexibility | 100% |
| | Colour | GREEN |
| | Weight: | 140g |
| | Code | PSR01SB |

| Red 14mm | |
|--------------|---|
| Applications | Ceramic Liners |
| Features | Ideal for ceramic round liners, ducting, drains and unlined flues |
| Diameter | 14mm |
| Flue Range | 8" to 16" |
| Flexibility | 60% |
| Colour | RED |
| Weight: | 250g |
| Code | PSR04SB |

| Pink 10mm | |
|--------------|--|
| Applications | Flexible liner/ single/ twinwall |
| Features | High flexibility, lightweight good for bends and flexible liners |
| Diameter | 10mm |
| Flue Range | 3" to 7" |
| Flexibility | 80% |
| Colour | PINK |
| Weight: | 160g |
| Code | PSR02SB |

| Grey 16mm | |
|--------------|--|
| Applications | Larger masonry flues/ square |
| Features | Ideal for larger pumice and masonry flues |
| Diameter | 16mm |
| Flue Range | 16" + |
| Flexibility | 40% |
| Colour | GREY |
| Weight: | 320g |
| Code | PSR05SB |

| Black 18mm | |
|---------------|--|
| Applications | Larger inglenook flues |
| Features | Heavy duty rigid ideal for large straight flues, reaming |
| Diameter | 18mm |
| Flue Range | 18" + |
| Flexibility | 30% |
| Colour | BLACK |
| Weight: | 430g |
| Code | PSR06SB |

| Stainless Steel 22mm | |
|----------------------------|---|
| Applications | Large Inglenook/ liner breaking |
| Features | Heavy duty rigid ideal heavy duty liner breaking and reaming |
| Diameter | 22mm |
| Flue Range | 20" + |
| Flexibility | 10% |
| Colour | STAINLESS |
| Weight: | 660g |
| Code | PSRS22SB |

| Purple 20mm | |
|----------------|---|
| Applications | Large Inglenook |
| Features | ldeal for large inglenook tall flues,reaming |
| Diameter | 20mm |
| Flue Range | 20" + |
| Flexibility | 20% |
| Colour | PURPLE |
| Weight: | 520g |
| Code | PSR07SB |

| Blue 20mm | |
|--------------|---|
| Applications | Large Inglenook |
| Features | Very rigid ideal for tall very wide flues and horizontal ductwork |
| Diameter | 20mm |
| Flue Range | 20" + |
| Flexibility | 5% |
| Colour | BLUE |
| Weight: | 460g |
| Code | PSR08SB |

| Stainless Steel 20mm | |
|----------------------------|---|
| Applications | Large Inglenook/ liner breaking |
| Features | Heavy duty rigid ideal heavy duty liner breaking and reaming |
| Diameter | 20mm |
| Flue Range | 20" + |
| Flexibility | 15% |
| Colour | STAINLESS |
| Weight: | 560g |
| Code | PSRS20SB |



FlueBoss[®] Mini

FlueBoss Mini Powersweeping Kit

The FlueBoss Mini Powersweeping Kit is designed for cleaning of 2" to 7" pipes such as Biomass flues, air conditioning ducts and dryer vents where extra flexibility is required. The small diameter head (only 3/4"when compressed) makes it ideal for negotiating through awkward spaces and opening up when spinning.


view of the cleaning 2% of the pipes of the pipes of the pipe of t

| Kit Contents | Qty |
|----------------------------------|-----|
| 1 metre 10mm Superflexi rods | 8 |
| Drill connector | 1 |
| FlueBoss Mini head | 1 |
| 3 metre length of FlueBoss Nylon | 1 |

0

| Description | Product Code |
|-------------------|--------------|
| FlueBoss MINI Kit | PSKM01SB |





FlueBoss[®] PowerBrushes

FlueBoss[®] PowerBrush

Our FlueBoss® PowerBrushes feature a ball top and quick push connection to our powersweeping rods, available in 4 different grades of bristle. Bespoke brushes available.



| Description | Product Code |
|--|--------------|
| 5"/125mm single button Soft | PSMB05 |
| 6"/150mm single button Soft | PSMB06 |
| 7"/180mm single button Soft | PSMB07 |
| 8"/200mm single button Soft | PSMB08 |
| 8"/200mm to 14"/350mm single button Soft/Medium | PSMB0814 |
| 10"/250mm to 18"/450mm single button Soft/Medium | PSMB1018 |
| 18"/450mm single button Hard | PSMB18 |
| 18"/450mm single button X-Hard | PSMB18XH |
| 24"/610mm single button Hard | PSMB24 |
| 24" single button X-Hard | PSMB24XH |



<complex-block>

| Description | Product Code |
|---------------------------------------|--------------|
| 1m Rod Bag with lid Grey | FRB100 |
| 1m Rod Bag with lid Black | FRB100BL |
| 1m Rod Bag with lid Green | FRB100GL |
| 1m Rod Bag with lid Red | FRB100RL |
| 1m Rod Bag NACS Logo | FRB100NACS |
| 1m Rod Bag GOMCS Logo | FRB100GUILD |
| 1m Rod Bag NVQ Logo | FRB100NVQ |
| 1m Rod Bag Sweepsafe Logo | FRB100SS |
| 1m Heavy Duty Vinyl full zip bag Grey | PRB02 |
| 1.5m Rod Bag with lid Grey | FRB150 |

Chimney Rod Caddy Bags & Tool Tote



| Description | Product Code |
|-------------------------------|--------------|
| Rodstation Caddy Bag with Lid | FRBCB01 |
| Rodstation Open Tool Tote | FRBTOTE1 |
| Rodstation Flat Tool Case | FRBCASE1 |

HD Camera Kit - 12 LED



This kit is ideal for checking the inside of chimneys and flue liners with added definition.

Powered by a high capacity Li-battery with up to **6 hours** continuous working time.



Pack includes:

- Heavy duty Rodstation camera carry case
- Camera ball with 4 x rigid and 4 x flexible adjustable arms
- Camera
- Free 16GB Micro SD Card
- 7" HD LCD Display Monitor
- User manual
- USB Cable
- AV-IN Cable
- AV-OUT Cable
- AC Adaptor
- Adapter to ¾ inch Universal Rods & button lock
- Zoom in / Zoom out function

Camera Head

- "Ball" housing to protect the camera featuring adjustable arms to aid the camera through the flue
- Quick fitting of camera ball to Whitworth rod or adaptor to Power sweeping rods
- + 90° field of view
- 15 metres (50 ft) of cable
- Ball diameter 2.5" / 65mm
- New side rod mounting

Monitor

- 7 inch Colour LCD screen
- 3 Megapixel resolution
- 9 hours recording time
- Seamless loop recording
- Photo function
- Supports Micro SD Card for recording video and photo





| Description | Product Code |
|-------------------------------|--------------|
| Portable Inspection Camera HD | PCHD01 |

Superbright HD Camera Kit

For inspecting larger flues with unique self-centralising housing

Auto focus camera and 24 extra bright LED lights for great colour images.

16GB

© RodStation Copyright Design

Handy Storage Case

Colour Colour LCD Display Monitor

Kit supplied in Case includes:

- Camera with lights in unique ball head
- 18 metre cable for connection to monitor

TATION

- 2 sets of flexible quick fit centralising arms
- 7" HD LCD colour monitor with 16GB micro SD card for recording
- Adaptor to ¾ inch Universal rods
- AC Adaptor and USB cable
- User manual and handy case
- Cable management reel (PCHD03 only)

Monitor

- 7 inch Colour LCD screen
- 5 megapixel resolution
- 18 metre (60 ft) cable for connection to monitor
- Up to 9 hours recording time on SD card
- Seamless loop recording
- Photo function
- Supports Micro SD card for recording



Camera Head

- Unique ball camera housing fits standard rods in 4 screw in positions to give different views in flue
- Auto focus in varying light conditions
- 2 sets of flexible arms to centralise camera ball in flue. Small set 25cm diameter, large up to 45cm
- Camera up to 120 degree angle of view
- Quick fitting to standard ½ inch Whitworth rods
- Ball diameter 3" / 75mm

| Description | Product Code |
|---------------------------|--------------|
| Superbright HD Camera Kit | PCHD02 |

Wireless Inspection Camera Kit

This portable wireless or wired inspection camera kit is ideal for checking the inside of chimneys and flue liners.

2 hours continuous working time.



Camera Head

- "Ball" housing to protect the camera featuring adjustable arms to aid the camera through the flue
- Quick fitting of camera ball to Whitworth rod or adaptor to Power sweeping rods
- 90° field of view
- High brightness LED offers long visible range up to 5 metres.
- Ball diameter 2.5" / 65mm

- 5- inch rechargeable HD Display Monitor
- 10 hours recording time
- Seamless loop recording
- 15m wireless transmission range (subject to chimney construction)
- Photo function
- Supports Micro SD Card for recording video and photo

Pack includes:

- Heavy duty Rodstation camera carry case
- Camera ball with 4 x rigid and 4 x flexible adjustable arms
- Wireless camera
- Free 16GB Micro SD Card
- 5" HD Display Monitor
- User manual
- USB Cable
- AV-IN Cable
- AV-OUT Cable
- AC Adaptor
- Adapter to ¾ inch Universal Rods



Multi Positional

Camera

Head





Optional extra 15m wired camera

| Description | Product Code |
|----------------------------|--------------|
| Portable Inspection Camera | PC01 |
| Wired 15m Camera | PCWC01 |

Ultra HD Touchscreen 1080p Chimney Camera Kit

The latest chimney inspection camera to our range our Ultra HD 10.1 inch camera is 1080p resolution with impressive crystal clear images and video displayed on a large 10.1 inch screen. The monitor will run approximately 4 hours when fully charged and is heavy duty with protective edging and sapphire glass, there is an option to use the touch screen to navigate the features and to record or snapshot footage or you can use the buttons to the right of the screen. Whilst recording sound is also recorded which is a real benefit for talking through any observations during an inspection. The monitor comes complete with a formatted micro 32GB SD card and a HDMI cable to connect the monitor directly to a TV screen.

By downloading the road cam app by following the QR code in the user manual the camera can be linked to a smartphone for easy file transfer to customers via WhatsApp.

The Ultra HD chimney camera kit is complete with an 18 metre 5mm cable and the unique copyrighted Rodstation camera ball housing enabling a viewing angle of 45, 90 and 180 degree with the new option of connecting the ball to the side of a 12mm rod (supplied in the kit). The camera has 12 high power LED lights which are dimmable and with the auto focus feature this gives one of the highest quality picture of any camera on the market. All our camera kits include a 12 month warranty as standard.

Kit supplied in Case includes:

- Heavy Duty Rodstation Case
- Camera ball with 4 rigid and 4 flexible adjustable arms and sound rod mounting
- 12 Ultra bright LED Camera
- 10" 4K Touchscreen Monitor
- User Manual
- HDMI Cable
- USB Cable
- 32GB Micro SD Card
- Adaptor to 3/4" Universal
- Adaptor to buttonlock
- 10" rod for side rod camera mounting
- Cable tidy reel
- Allen key to use for side rod mounting
- DC 12V 2A UK Charger (US & EU Charger available)
- Neck camera monitor strap



Camera Head

- Patented Ball housing to protect the camera featuring adjustable arms and 4 rod location angle points
- 90 degree field of view
- 16 metres of cable
- Side mounting rod feature

Monitor

- 10" 4K Touchscreen Monitor
- 4 hours recording time
- Video and photo function to Micro SD Card
- Compatable to smartphone using app
- Heavy duty dust and splash proof monitor
- Headphone connection port
- Talk recording function whilst undertaking survey
- Zoom in/ Zoom out function





Description

Ultra HD Touchscreen 1080p Chimney Camera Kit

Chimney Sweep Accessories



RodStation stock a range of chimney sweep accessories to make the job as easy and as clean as possible.



| Product Code SPG25 |
|-----------------------|
| SPG25 |
| |
| SPG50 |
| SPHV10 |
| SPHV50 |
| SPM25 |
| SP525 |
| SPH01 |
| |

Sweep Through Sheets

with sleeve opening for rod access. Available in 3 sizes.





Stove Pipe Sweep Sheets

with sleeve opening for rod access. Velcro fitting for 5 and 6" or 8 and 9" fluepipe.

Dust Sheet, Hearth Sheets and Floor Runners

plain dust sheet made from hard wearing fabric.

| G,H, | | Ъ,К | K,L,M,N,O,P |
|------|------------------------------|--------------|--------------|
| | Description | Size | Product Code |
| G | Sweep through sheet - small | 125 x 125 cm | SDS01 |
| Н | Sweep through sheet - medium | 150 x 150 cm | SDS02 |
| Ι | Sweep through sheet - large | 180 x 180 cm | SDS03 |
| J | 5 & 6" stove pipe soot sheet | 45 x 52 cm | SDSM04 |
| К | 8 & 9" stove pipe soot sheet | 45 x 52 cm | SDSM05 |
| L | Dust sheet XL | 270 x 360 cm | SDSF01 |
| М | Hearth sheet – Small | 90 x 135 cm | SDSH01 |
| Ν | Hearth sheet – Medium | 135 x 180 cm | SDSH02 |
| 0 | Hearth sheet – Large | 180 x 270 cm | SDSH03 |
| Р | Floor runner | 75 x 360 cm | SDFR01 |

Chimney Sweep Accessories



Supplied in handy dispenser box.

| | Description | Product Code |
|---|---------------------------------------|--------------|
| Q | Mega Duct Tape 50mm £5.08 | ACDT01 |
| R | Masking Tape 50mm | ACMT01 |
| S | Latex Gloves box of 100 | ACLG01 |
| Т | Disposable Overshoe covers box of 100 | ACOS100 |
| U | Multi Use Wonder Wipes tub of 100 | ACWW100 |
| V | Rigid Inspection Mirror 37cm | ACRIM01 |
| W | Flexible Inspection Mirror 47cm | ACFIM01 |
| Х | Metal Dustpan 32cm | ACDP01 |
| Y | Soft Brush 28cm | ACSB01 |
| Z | Hand Shovel 27cm | ACHS01 |



Mega Duct Tape Heavy Duty duct tape. 50mm wide x 50m.

Multi Use Wonder Wipes

Specially formulated to clean hands, tools and surfaces. Ideal for cleaning chimney rods and equipment after sweeping.



U

Masking Tape



Inspection Mirrors

Give good visibility in concealed areas. Available withe fully flexible head or shaft.

Ζ



Disposable Overshoe Covers

One size, polyethylene resistant to damp, liquid splashes and dirt. Supplied in handy dispenser box.



Soft Brush 280 mm.



Dustpan

Heavy duty sheet metal enclosed dustpan. 320mm.

Hand Shovel

V

w

Dustcontrol



Rodstation are main dealers for the Dustcontrol range of extractors which are ideal for fine dust and ash extraction.

Equipped with cyclone technology, reverse pulse cleaning of filters and seperate HEPA filter.



| | Description | Product Code |
|---|--|--------------|
| Α | Dustcontrol DC1800B Kit (includes all of the above components) | DC1800B |
| В | Dustcontrol DC1800D Kit (with 40L drum, no wheels) | DC1800D |
| С | Steel Hand pipe- 38mm | DC7262 |
| D | Crevice Tool | DC7472 |
| E | Chimney Sweep Brush | DC0053-1 |
| F | HEPA H13 - Micro Filter | DC42027 |
| G | Pre- Filter- Cellulose | DC42029 |
| Н | DC1800 - Sacks (Pack of 10) | DC42291 |
| I | Hose Connector (allows hose to be cut and reconnected) | DC2169 |

Meeco's Red Devil Fire Safety and Maintenance Products



MEECO have appointed Rodstation as the exclusive distributors for the UK and Europe for their range of proven products aimed at reducing and stopping chimney fires.

Founded in 1937, MEECO are well known in the USA for manufacturing a wide range of safety and maintenance products for wood and solid fuel burning. They have built a reputation for high quality and service. Originally the United States Department of Natural Resources contracted them to develop a product for the removal of soot from wood-burning generators and power plants, which they then launched under the MEECO's Red Devil trademark.



FireEx

The MEECO FireEx is quick and easy to use. At the first sign of a chimney fire simply toss into the firebox and the chimney fire stops within minutes. The FireEX is not a flare and works without any pre ignition. The FireEx has been performance tested using creosote-fuelled chimney fires and will not cause any water damage. Suitable for use on Stoves, Fireplace Inserts and Fireplaces.

Watch a video demonstration of the FireEx in action on Rodstation's YouTube Channel.

| Description | Product Code |
|-----------------|--------------|
| FireEx | MFX01 |
| FireEx Box Of 6 | MFX06 |



Powdered Creosote Destroyer

This Powdered Creosote Destroyer is specially formulated to control creosote build-up in wood and coal stoves, when it is put on a fire. It works as a catalyst destroying the binder holding the creosote particles together. Regular removal of creosote build-up can help to prevent chimney fires.

| Description | Product Code |
|----------------------------|--------------|
| Tub Creosote Destroyer 2lb | MCD02 |
| Tub Creosote Destroyer 5lb | MCD05 |



ColorGlo Flames

MEECO ColorGlo Flames add a rainbow of colours to your fireplace, woodstove or campfire. 2-3 cones will burn for 10-12 minutes. Each box contains at least 30 cones.

| Description | Product Code |
|----------------------|--------------|
| ColourGlo Fire Cones | MFC01 |





Unit 42 Vale Business Park, Cowbridge, Vale of Glamorgan, CF71 7PF Tel: 01446 500695 | Email: sales@rodstation.co.uk

All offers and supplies are subject to our standard terms and conditions of sale shown on our website. E & O excepted. All prices subject to VAT and change. The names Rodstation, Flueboss and TwinClip are trademarks of RodStation Limited. This brochure, contents and images are Copyright of RodStation September 2021.